

**2005 Research Bibliography on Suicide Prevention in Elderly Males**  
**Idaho Suicide Prevention Research Project**  
**Funded by the Idaho Department of Health & Welfare**  
December, 2009

Abraham VJ, et al. "Suicide in the Elderly in Kaniyambadi Block, Tamil Nadu, South India." International Journal of Geriatric Psychiatry. 20.10 (2005): 953-5.  
(<http://www.ncbi.nlm.nih.gov/pubmed/16163746>)

Abrams RC, et al. "Preference for Fall from Height As a Method of Suicide by Elderly Residents of New York City." American Journal of Public Health. 95.6 (2005): 1000-2.  
(<http://www.ncbi.nlm.nih.gov/pubmed/15914824>)

Agerbo E. "Effect of Psychiatric Illness and Labour Market Status on Suicide: a Healthy Worker Effect?" Journal of Epidemiology and Community Health. 59.7 (2005): 598-602.  
(<http://www.ncbi.nlm.nih.gov/pubmed/15965145>)

Awata S, et al. "Factors Associated with Suicidal Ideation in an Elderly Urban Japanese Population: a Community-Based, Cross-Sectional Study." Psychiatry and Clinical Neurosciences. 59.3 (2005): 327-36. (<http://www.ncbi.nlm.nih.gov/pubmed/15896227>)

Botega NJ, et al. "Nursing Personnel Attitudes Towards Suicide: the Development of a Measure Scale." Revista Brasileira De Psiquiatria (São Paulo, Brazil : 1999). 27.4 (2005): 315-8.  
(<http://www.ncbi.nlm.nih.gov/pubmed/16358114>)

Bould S. "A Population Health Perspective on Disability and Depression in Elderly Women and Men." Journal of Aging & Social Policy. 17.2 (2005): 7-24.

Boyle P, et al. "Suicide Gap Among Young Adults in Scotland: Population Study." BMJ (Clinical Research Ed.). 330.7484 (2005): 175-6.

Brown, MM, and LM. Range. "Responding to Suicidal Calls: Does Trait Anxiety Hinder or Help?" Death Studies. 29.3 (2005): 207-216. (<http://www.ncbi.nlm.nih.gov/pubmed/15816112>)

Chiles, JA., and KD Strosahl. Clinical manual for assessment and treatment of suicidal patients. Washington, DC, US: American Psychiatric Publishing, Inc, 2005.

Chotai J. "Suicide Aggregation in Relation to Socio-Demographic Variables and the Suicide Method in a General Population: Assortative Susceptibility." Nordic Journal of Psychiatry. 59.5 (2005): 325-30. (<http://www.ncbi.nlm.nih.gov/pubmed/16757459>)

Cochran, SV. "Assessing and Treating Depression in Men." Brooks, Gary R. and Glenn E Good, Eds. The new handbook of psychotherapy and counseling with men: A comprehensive guide to settings, problems, and Treatment Approaches. San Francisco, CA: Jossey-Bass, 2005.

Cottler LB, et al. "Predictors of High Rates of Suicidal Ideation Among Drug Users." The Journal of Nervous and Mental Disease. 193.7 (2005): 431-7.  
(<http://www.ncbi.nlm.nih.gov/pubmed/15985836>)

Dennis, M., et al. "Self-harm in older people with depression." British Journal of Psychiatry. 186.6 (2005): 538-539. (<http://www.ncbi.nlm.nih.gov/pubmed/15928367>)

DuBois DL, and N Silverthorn. "Natural Mentoring Relationships and Adolescent Health: Evidence from a National Study." American Journal of Public Health. 95.3 (2005): 518-24. (<http://www.ncbi.nlm.nih.gov/pubmed/15727987>)

Erlangsen A, et al. "Psychiatric Hospitalisation and Suicide Among the Very Old in Denmark: Population-Based Register Study." The British Journal of Psychiatry. 187 (2005): 43-8. (<http://www.ncbi.nlm.nih.gov/pubmed/15994570>)

Erlangsen, A., et al. "The Effect of Hospitalization with Medical Illnesses on the Suicide Risk in the Oldest Old: A Population-Based Register Study." Journal of the American Geriatrics Society. 53.5 (2005): 771-776. (<http://www.ncbi.nlm.nih.gov/pubmed/15877551>)

Fujisawa D, et al. "The Development of a Brief Screening Instrument for Depression and Suicidal Ideation for Elderly: the Depression and Suicide Screen." Psychiatry and Clinical Neurosciences. 59.6 (2005): 634-8. (<http://www.ncbi.nlm.nih.gov/pubmed/16401236>)

Gorina Y, et al. "Trends in Causes of Death Among Older Persons in the United States." Aging Trends (Hyattsville, Md.). 6 (2005): 1-12.

Griffiths, C., and R. J. Flanagan. "Fatal poisoning with antipsychotic drugs, England and Wales 1993-2002." Journal of Psychopharmacology. 19.6 (2005): 667-674. (<http://www.ncbi.nlm.nih.gov/pubmed/16272190>)

Gunnell D, et al. "The Epidemiology and Management of Self-Harm Amongst Adults in England." Journal of Public Health (Oxford, England). 27.1 (2005): 67-73. (<http://www.ncbi.nlm.nih.gov/pubmed/15564277>)

Hatters Friedman S, et al. "Filicide-Suicide: Common Factors in Parents Who Kill Their Children and Themselves." The Journal of the American Academy of Psychiatry and the Law. 33.4 (2005): 496-504. (<http://www.ncbi.nlm.nih.gov/pubmed/16394226>)

Hem, Erlend, et al. "Suicide rates according to education with a particular focus on physicians in Norway 1960-2000." Psychological Medicine. 35.6 (2005): 873-880. (<http://www.ncbi.nlm.nih.gov/pubmed/15997607>)

Hjelmeland H, and B Grøholt. "A Comparative Study of Young and Adult Deliberate Self-Harm Patients." Crisis. 26.2 (2005): 64-72. (<http://www.ncbi.nlm.nih.gov/pubmed/16138742>)

Ichimura A, et al. "Characteristics of Suicide Attempters with Depressive Disorders." Psychiatry and Clinical Neurosciences. 59.5 (2005): 590-4. (<http://www.ncbi.nlm.nih.gov/pubmed/16194263>)

Inoue K, et al. "Underlying Factors for the Rapid Increase of Suicide in Mie Prefecture, Japan." Medicine, Science, and the Law. 45.4 (2005): 345-55. (<http://www.ncbi.nlm.nih.gov/pubmed/16302381>)

Karlovsek MZ, et al. "Our Experiences with Fatal Ecstasy Abuse (Two Case Reports)." Forensic Science International. 147 (2005): S77-80. (<http://www.ncbi.nlm.nih.gov/pubmed/15694737>)

Karp JF, et al. "Body Pain and Treatment Response in Late-Life Depression." The American Journal of Geriatric Psychiatry. 13.3 (2005): 188-94. (<http://www.ncbi.nlm.nih.gov/pubmed/15728749>)

Kung HC, et al. "Substance Use, Firearm Availability, Depressive Symptoms, and Mental Health Service Utilization Among White and African American Suicide Decedents Aged 15 to 64 Years." Annals of Epidemiology. 15.8 (2005): 614-21. (<http://www.ncbi.nlm.nih.gov/pubmed/16118006>)

Kurella M, et al. "Suicide in the United States End-Stage Renal Disease Program." Journal of the American Society of Nephrology : JASN. 16.3 (2005): 774-81. (<http://www.ncbi.nlm.nih.gov/pubmed/15659561>)

Links PS, et al. "Is Suicide Ideation a Surrogate Endpoint for Geriatric Suicide?" Suicide & Life-Threatening Behavior. 35.2 (2005): 193-205. (<http://www.ncbi.nlm.nih.gov/pubmed/15843336>)

Llorente MD, et al. "Prostate Cancer: a Significant Risk Factor for Late-Life Suicide." The American Journal of Geriatric Psychiatry. 13.3 (2005): 195-201. (<http://www.ncbi.nlm.nih.gov/pubmed/15728750>)

Lodhi LM, and A Shah. "Factors Associated with the Recent Decline in Suicide Rates in the Elderly in England and Wales, 1985-1998." Medicine, Science, and the Law. 45.1 (2005): 31-8. (<http://www.ncbi.nlm.nih.gov/pubmed/15745271>)

Lorant V, et al. "A European Comparative Study of Marital Status and Socio-Economic Inequalities in Suicide." Social Science & Medicine (1982). 60.11 (2005): 2431-41. (<http://www.ncbi.nlm.nih.gov/pubmed/15814169>)

Mai-Nakagawa, Kieu-Loan T. "The Chinese Beck Depression Inventory with a nonpatient Chinese elderly population." Dissertation Abstracts International: Section B: The Sciences and Engineering. 66.1-B (2005): 612.

Malphurs JE, and D Cohen. "A Statewide Case-Control Study of Spousal Homicide-Suicide in Older Persons." The American Journal of Geriatric Psychiatry. 13.3 (2005): 211-7. (<http://www.ncbi.nlm.nih.gov/pubmed/15728752>)

McAvay GJ, et al. "Symptoms of Depression in Older Home-Care Patients: Patient and Informant Reports." Psychology and Aging. 20.3 (2005): 507-18. (<http://www.ncbi.nlm.nih.gov/pubmed/16248709>)

Mello-Santos C, et al. "Epidemiology of Suicide in Brazil (1980-2000): Characterization of Age and Gender Rates of Suicide." Revista Brasileira De Psiquiatria (São Paulo, Brazil : 1999). 27.2 (2005): 131-4. (<http://www.ncbi.nlm.nih.gov/pubmed/15962138>)

Mühlberg W, et al. "Acute Poisoning in Old and Very Old Patients: a Longitudinal Retrospective Study of 5883 Patients in a Toxicological Intensive Care Unit." Zeitschrift Für Gerontologie Und Geriatrie. 38.3 (2005): 182-9. (<http://www.ncbi.nlm.nih.gov/pubmed/15965792>)

Osvath, P., et al. "Risk factors of attempted suicide in the elderly: The role of cognitive impairment." International Journal of Psychiatry in Clinical Practice. 9.3 (2005): 221-225.

Oyama H, et al. "Community-Based Suicide Prevention Through Group Activity for the Elderly Successfully Reduced the High Suicide Rate for Females." Psychiatry and Clinical Neurosciences. 59.3 (2005): 337-44. (<http://www.ncbi.nlm.nih.gov/pubmed/15896228>)

Pedersen, DD. Psychnotes: Clinical Pocket Guide. Epidemiology Neurobiology Prevention Treatment.; Philadelphia, PA, US; F A Davis, 2005.

Pfaff JJ, and OP Almeida. "A Cross-Sectional Analysis of Factors That Influence the Detection of Depression in Older Primary Care Patients." The Australian and New Zealand Journal of Psychiatry. 39.4 (2005): 262-5. (<http://www.ncbi.nlm.nih.gov/pubmed/15777363>)

Prévile M, et al. "Correlates of Suicide in the Older Adult Population in Quebec." Suicide & Life-Threatening Behavior. 35.1 (2005): 91-105. (<http://www.ncbi.nlm.nih.gov/pubmed/15843326>)

---. "Physical Health and Mental Disorder in Elderly Suicide: a Case-Control Study." Aging & Mental Health. 9.6 (2005): 576-84. (<http://www.ncbi.nlm.nih.gov/pubmed/16214706>)

Pritchard C, and L Hansen. "Comparison of Suicide in People Aged 65-74 and 75+ by Gender in England and Wales and the Major Western Countries 1979-1999." International Journal of Geriatric Psychiatry. 20.1 (2005): 17-25. (<http://www.ncbi.nlm.nih.gov/pubmed/15578668>)

Rezaeian M, et al. "The Ecological Association between Suicide Rates and Indices of Deprivation in English Local Authorities." Social Psychiatry and Psychiatric Epidemiology. 40.10 (2005): 785-91. (<http://www.ncbi.nlm.nih.gov/pubmed/16172814>)

Richman, J. "The Widening Scope of Family Therapy for the Elderly." Assessment, Treatment, and Prevention of Suicidal Behavior. Eds. Yufit, Robert I. and David Lester. Hoboken, NJ: John Wiley & Sons Inc, 2005.

Rodrigues NC, and GL Werneck. "Age-Period-Cohort Analysis of Suicide Rates in Rio De Janeiro, Brazil, 1979-1998." Social Psychiatry and Psychiatric Epidemiology. 40.3 (2005): 192-6. (<http://www.ncbi.nlm.nih.gov/pubmed/15742223>)

Rurup ML, et al. "A "suicide Pill" for Older People: Attitudes of Physicians, the General Population, and Relatives of Patients Who Died After Euthanasia or Physician-Assisted Suicide in The Netherlands." Death Studies. 29.6 (2005): 519-34. (<http://www.ncbi.nlm.nih.gov/pubmed/16187477>)

Ruths FA, et al. "Deliberate Self-Harm (DSH) Among Older People: a Retrospective Study in Barnet, North London." International Journal of Geriatric Psychiatry. 20.2 (2005): 106-12. (<http://www.ncbi.nlm.nih.gov/pubmed/15660423>)

Salib E. "Trends in Suicide by Drowning in the Elderly in England and Wales 1979-2001." International Journal of Geriatric Psychiatry. 20.2 (2005): 175-81.  
(<http://www.ncbi.nlm.nih.gov/pubmed/15660403>)

Salib, E., and Norman A. "Suicide and undetermined death by drowning." International Journal of Psychiatry in Clinical Practice. 9.2 (2005): 107-115.

Salib E, et al. "Elderly Suicide: an Analysis of Coroner's Inquests into Two Hundred Cases in Cheshire 1989 - 2001." Medicine, Science, and the Law. 45.1 (2005): 71-80.  
(<http://www.ncbi.nlm.nih.gov/pubmed/15745277>)

Satar S, and G Seydaoglu. "Analysis of Acute Adult Poisoning in a 6-Year Period and Factors Affecting the Hospital Stay." Advances in Therapy. 22.2 (2005): 137-47.  
(<http://www.ncbi.nlm.nih.gov/pubmed/16020403>)

Shah A, and L Lodhi. "The Impact of Trends in Psychotropic Prescribing on the Method of Suicide in the Elderly." Medicine, Science, and the Law. 45.2 (2005): 115-20.  
(<http://www.ncbi.nlm.nih.gov/pubmed/15895636>)

Shaw D, et al. "Suicide in Children and Adolescents: a 10-Year Retrospective Review." The American Journal of Forensic Medicine and Pathology. 26.4 (2005): 309-15.  
(<http://www.ncbi.nlm.nih.gov/pubmed/16304461>)

Shiho Y, et al. "Suicide in Japan: Present Condition and Prevention Measures." Crisis. 26.1 (2005): 12-9. (<http://www.ncbi.nlm.nih.gov/pubmed/15762079>)

Soloff PH, et al. "High-Lethality Status in Patients with Borderline Personality Disorder." Journal of Personality Disorders. 19.4 (2005): 386-99. (<http://www.ncbi.nlm.nih.gov/pubmed/16178681>)

Stone MH, et al. "Infanticide in Female Forensic Patients: the View from the Evolutionary Standpoint." Journal of Psychiatric Practice. 11.1 (2005): 35-45.  
(<http://www.ncbi.nlm.nih.gov/pubmed/15650620>)

Tacey, D. "Spiritual Perspectives on Suicidal Impulses in Young Adults." Hoffman, Louis; Ed; Spirituality and Psychological Health. Eds. Cox, Richard H. and Betty Ervin-Cox. Colorado Springs, CO: Colorado School of Psychology Press, 2005. 107-28.

Thobaben, M. "Older Adults: Suicide." Home Health Care Management & Practice. 18.1 (2005): 68-69.

Tsoh J, et al. "Attempted Suicide in Elderly Chinese Persons: a Multi-Group, Controlled Study." The American Journal of Geriatric Psychiatry. 13.7 (2005): 562-71.  
(<http://www.ncbi.nlm.nih.gov/pubmed/16009732>)

Vernick JS, et al. "Firearm Suicide in Maryland: Characteristics of Older Versus Younger Suicide Victims." Maryland Medicine : MM : a Publication of MEDCHI, the Maryland State Medical Society. 6.3 (2005): 24-7.

Viner, Mark. Suicide. Pittsburgh, PA, US; Dorrance Publishing Co, 2005.

Voracek M. "National Intelligence, Suicide Rate in the Elderly, and a Threshold Intelligence for Suicidality: an Ecological Study of 48 Eurasian Countries." Journal of Biosocial Science. 37.6 (2005): 721-40. (<http://www.ncbi.nlm.nih.gov/pubmed/16221322>)

Vougiouklakis T, et al. "Trends in Suicide Mortality in the Deprived Region of Epirus (North-West Greece) During the Period 1998-2002." Medicine, Science, and the Law. 45.1 (2005): 39-46. (<http://www.ncbi.nlm.nih.gov/pubmed/15745272>)

Waern, M. "Suicides among Family Members of Elderly Suicide Victims: An Exploratory Study." Suicide and Life-Threatening Behavior. 35.3 (2005): 356-364. (<http://www.ncbi.nlm.nih.gov/pubmed/16156495>)

Weeks SK, et al. "Getting Inside Depression and Suicide Ideation. One Comprehensive Screening Approach Targets Patients 4 Years and Older." Holistic Nursing Practice. 19.1 (2005): 5-9.

Yamasaki A, et al. "Low Income, Unemployment, and Suicide Mortality Rates for Middle-Age Persons in Japan." Psychological Reports. 96.2 (2005): 337-48. (<http://www.ncbi.nlm.nih.gov/pubmed/15941108>)

Yen YC, et al. "Suicidal Ideation and Associated Factors Among Community-Dwelling Elders in Taiwan." Psychiatry and Clinical Neurosciences. 59.4 (2005): 365-71. (<http://www.ncbi.nlm.nih.gov/pubmed/16048440>)

Yip PS, et al. "Suicide Rates in China During a Decade of Rapid Social Changes." Social Psychiatry and Psychiatric Epidemiology. 40.10 (2005): 792-8. (<http://www.ncbi.nlm.nih.gov/pubmed/16205852>)

---. "Social and Economic Burden of Suicides in Hong Kong SAR: a Year of Life Lost Perspective." Crisis. 26.4 (2005): 156-9. (<http://www.ncbi.nlm.nih.gov/pubmed/16485840>)

Yufit, Robert I., David Lester, and Pomona N. J. Richard Stockton College of New Jersey, eds. Assessment, Treatment, and Prevention of Suicidal Behavior. Hoboken, NJ, US; John Wiley & Sons Inc, 2005.

Zalsman G, et al. "Postmortem Mu-Opioid Receptor Binding in Suicide Victims and Controls." Journal of Neural Transmission (Vienna, Austria : 1996). 112.7 (2005): 949-54. (<http://www.ncbi.nlm.nih.gov/pubmed/15937639>)

Zeppegno P, et al. "Differences in Suicide Behaviour in the Elderly: a Study in Two Provinces of Northern Italy." International Journal of Geriatric Psychiatry. 20.8 (2005): 769-75. (<http://www.ncbi.nlm.nih.gov/pubmed/16035130>)

Zweig, RA. "Suicide Prevention in Older Adults: An Interdisciplinary Challenge." Clinical Psychology: Science and Practice. 12.3 (2005): 260-263.